



GENERAL INSTRUCTIONS – BOVINE FACILITY DISINFECTION PROCEDURES

Concentration	Virkon® S	Gallons of water	Contact time
1:100	1 scoop (1.3oz)	1	10 minutes*
1:100	8 tablets	1	10 minutes*

For Disinfection of Bovine Housing Stables, Hospital Quarantine Pens, Feedlot Facilities, and Agricultural Production Equipment

1. Follow general instructions to remove livestock and pre-clean area to be treated.
2. Use a 1% solution of Virkon® S to clean and disinfect areas associated with bovine housing stabling, hospital quarantine pens, feedlot facilities, and agricultural production equipment: such as trucks, water-proof footwear (such as rubber boots), and associated livestock equipment and instruments.
3. Saturate surfaces with a 1% solution of Virkon® S with a cloth, mop, mechanical spray, or sponge. Allow surfaces to remain visibly wet for a period of 10 minutes.

4. Allow surfaces to air dry.
5. Rinse waterers and feeders with potable water before reuse.

* Please consult the Virkon® S product container label for a comprehensive list of organisms and directions for use.

The importance of vehicle disinfection

The importance of disinfection for all vehicles associated with cattle cannot be stressed enough, as vehicles provide an excellent vector through which disease can be spread. This applies not only to bovine haul and feed vehicles, but also to any individuals visiting cattle production facilities and farms.



Virkon® S Pathogen List

Bovine Pathogens	Concentration	Virkon® S	Gallons of water	Contact time
Aspergillus fumigatus*	1:100	1 scoop (1.3oz)	1	10 minutes
Bacillus cereus	1:100	1 scoop (1.3oz)	1	10 minutes
Bovine Adenovirus Type 4	1:100	1 scoop (1.3oz)	1	10 minutes
Bovine Polyoma Virus*	1:100	1 scoop (1.3oz)	1	10 minutes
Bovine Pseudocowpox Virus*	1:100	1 scoop (1.3oz)	1	10 minutes
Bovine Viral Diarrhea Virus* (no hard water)	1:100	1 scoop (1.3oz)	1	10 minutes
Brucella abortus	1:100	1 scoop (1.3oz)	1	10 minutes
Calf Rotavirus* (no hard water)	1:100	1 scoop (1.3oz)	1	10 minutes
Campylobacter jejuni	1:100	1 scoop (1.3oz)	1	10 minutes
Clostridium perfringens	1:100	1 scoop (1.3oz)	1	10 minutes
Dermatophilus congolensis (2%)	1:50	2 scoops (2.7oz)	1	10 minutes
Escherichia coli	1:100	1 scoop (1.3oz)	1	10 minutes
Foot and Mouth Disease Virus	1:100	1 scoop (1.3oz)	1	10 minutes
Fusarium moniliforme*	1:100	1 scoop (1.3oz)	1	10 minutes
Haemophilus somnus*	1:100	1 scoop (1.3oz)	1	10 minutes
Helicobacter pylori*	1:100	1 scoop (1.3oz)	1	10 minutes
Infective Bovine Rhinotracheitis Virus* (no hard water)	1:100	1 scoop (1.3oz)	1	10 minutes
Klebsiella pneumoniae	1:100	1 scoop (1.3oz)	1	10 minutes
Leptospira canicola*	1:100	1 scoop (1.3oz)	1	10 minutes
Listeria monocytogenes*	1:100	1 scoop (1.3oz)	1	10 minutes
Moraxella bovis (Pink Eye)*	1:100	1 scoop (1.3oz)	1	10 minutes
Mycoplasma mycoides*	1:100	1 scoop (1.3oz)	1	10 minutes
Parainfluenza virus Type 3 (PI3)*	1:200	0.7oz	1	1 minute
Pasteurella multocida	1:100	1 scoop (1.3oz)	1	10 minutes
Proteus vulgaris*	1:100	1 scoop (1.3oz)	1	10 minutes
Pseudomonas aeruginosa	1:100	1 scoop (1.3oz)	1	10 minutes
Rotaviral Diarrhea Virus*	1:100	1 scoop (1.3oz)	1	10 minutes
Salmonella enterica	1:100	1 scoop (1.3oz)	1	10 minutes
Salmonella typhimurium	1:100	1 scoop (1.3oz)	1	10 minutes
SARS-Related Coronavirus 2*	1:100	1 scoop (1.3oz)	1	1 minute
Staphylococcus aureus	1:100	1 scoop (1.3oz)	1	10 minutes
Staphylococcus epidermidis	1:100	1 scoop (1.3oz)	1	10 minutes
Streptococcus pyogenes	1:100	1 scoop (1.3oz)	1	10 minutes
Vesicular Stomatitis Virus*	1:100	1 scoop (1.3oz)	1	10 minutes



* Not approved for this use in California.

Please consult the Virkon® S product container label for a comprehensive list of organisms and directions for use.

EPA Registration Number: 39967-137

virkon.us

LANXESS Corporation

111 RIDC Park West Drive • Pittsburgh, PA 15275 • Phone: 1-800-LANXESS • www.US.LANXESS.com

The manner in which you use and the purpose to which you put and utilize our products, technical assistance and information (whether verbal, written or by way of production evaluations), including any suggested formulations and recommendations are beyond our control. Therefore, it is imperative that you test our products, technical assistance and information to determine to your own satisfaction whether they are suitable for your intended uses and applications. This application-specific analysis must at least include testing to determine suitability from a technical as well as health, safety, and environmental standpoint. Such testing has not necessarily been done by us. Unless we otherwise agree in writing, all products are sold strictly pursuant to the terms of our standard conditions of sale. All information and technical assistance is given without warranty or guarantee and is subject to change without notice. It is expressly understood and agreed that you assume and hereby expressly release us from all liability, in tort, contract or otherwise, incurred in connection with the use of our products, technical assistance, and information. Any statement or recommendation not contained herein is unauthorized and shall not bind us. Nothing herein shall be construed as a recommendation to use any product in conflict with patents covering any material or its use. No license is implied or in fact granted under the claims of any patent.

Note: The information contained in this publication is current as of February, 2023. Please contact LANXESS Corporation to determine if this publication has been revised.

©2021 LANXESS. Virkon® and any associated logos are trademarks or copyrights of LANXESS Corporation. LANXESS and the LANXESS Logo are trademarks of LANXESS Deutschland GmbH. All trademarks are registered in many countries worldwide.